

DISHDRAWER™ DISHWASHER

PLANNING GUIDE

SERIES 9

INTEGRATED SINGLE | DD60S4HI2 | DD60ST4HI2

INTEGRATED DOUBLE | DD60D4HI2

SERIES 7

CONTEMPORARY SINGLE | DD60ST2HMX2 | DD60S2HCX2

CONTEMPORARY DOUBLE | DD60D2HMX2

FISHER & PAYKEL

INTRODUCTION

This comprehensive planning guide provides you with the framework and tools to achieve your desired design outcome with Fisher & Paykel appliances. In this guide, you will find a range of conceptual, detailed, and dimensional product information to bring your ideas to life and create spaces that truly reflect your vision.

SUPPORT

For additional design planning and installation support please contact the Fisher & Paykel design support team.
designsupport@fisherpaykel.com

NOTES

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Refer to our website fisherpaykel.com for the latest document version. Product specifications may vary from those shown.
This Planning Guide should not be used as installation guidance for any product. Specific installation guidance will be available with the product on delivery and on our website.

CONTENTS

CONCEPT DESIGN	PAGE	DEVELOPED AND DETAILED DESIGN	PAGE	DEVELOPED AND DETAILED DESIGN	PAGE
DESIGN CHOICES					
Style overview	4				
Integrated	5				
SPECIFICATION GUIDE					
SERIES 9 INTEGRATED					
DD60S4HI2, DD60ST4HI2	7				
DD60S4HI2	8				
DD60ST4HI2	9				
DD60D4HI2	10				
SERIES 7 CONTEMPORARY					
DD60S2HCX2	12				
DD60ST2HNX2	14				
DD60D2HNX2	16				

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

DESIGN CHOICES

INTEGRATED DISHDRAWER™ DISHWASHER



PANEL READY CUSTOM HANDLE

With minimal installation gaps for a precise, flush fit, Integrated style DishDrawer™ Dishwashers blend effortlessly into surrounding cabinetry. Choose to fully conceal with custom panels or contrast with stainless steel finishes for a cohesive, considered kitchen design.

CONTEMPORARY DISHDRAWER™ DISHWASHER



CONTEMPORARY RECESSED HANDLE

Defined by clean lines and timeless design cues, Contemporary style DishDrawer™ Dishwashers bring a sense of balance and refinement to the kitchen.

The recessed handle creates a seamless, uninterrupted flow, a functional design detail that supports the clean aesthetic of recessed-handle kitchens and complements a range of interior styles.




CONTEMPORARY POCKET HANDLE

The pocket handle offers versatile styling, designed to align with a wide range of appliance aesthetics, whether specified for a replacement.

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

DESIGN CHOICE | DISHDRAWER™ DISHWASHER

INTEGRATED SINGLE




STYLE	MODELS	PANEL OPTIONS	HANDLE OPTIONS
① Integrated Single DishDrawer™ Dishwasher Series 9	DD60S4HI2	Custom panel Stainless Steel ADDD60SPX Black Stainless Steel ADDD60SPB	Custom handle, Accessory handles*
② Integrated Tall Single DishDrawer™ Dishwasher Series 9	DD60ST4HI2	Custom panel Stainless Steel ADDD60STPX Black Stainless Steel ADDD60STPB	Custom handle, Accessory handles*
③ Integrated Double DishDrawer™ Dishwasher Series 9	DD60D4HI2	Custom panel Stainless Steel ADDD60DPX Black Stainless Steel ADDD60DPB	Custom handle, Accessory handles*

*Contemporary Brushed Aluminium AHD7DDDDW60S, Contemporary Brushed Aluminium Black AHD7DDDDW60B, Minimal Grey Handle AHM1DDDDW60G, Minimal Black Handle AHM1DDDDW60B.

INTEGRATED DOUBLE

CONTEMPORARY SINGLE



STYLE	MODELS	PANEL OPTIONS	HANDLE OPTIONS
④ Contemporary Single DishDrawer™ Dishwasher Series 7	DD60S2HCX2	Stainless Steel	Contemporary Pocket handle
⑤ Contemporary Tall Single DishDrawer™ Dishwasher Series 7	DD60ST2HNX2	Stainless Steel	Contemporary Recessed handle
⑥ Contemporary Double DishDrawer™ Dishwasher Series 7	DD60D2HNX2	Stainless Steel	Contemporary Recessed handle

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

SPECIFICATION GUIDE



DD60S4HI2



DD60ST4HI2

OVERVIEW

The Series 9 Integrated Single DishDrawer™ Dishwasher is designed for true half-load dish care in a single drawer format. Panel-ready for seamless cabinetry integration, it supports flexible placement within the kitchen, while advanced wash technology and intuitive controls help support improved energy and water efficiency.

The Series 9 Integrated Tall Single DishDrawer™ Dishwasher extends the drawer format with added height to accommodate larger dishes and cookware. Designed for true half-load dish care, it supports flexible kitchen planning and bench-height installation, while advanced wash technology and intuitive controls help support improved energy and water efficiency.

PRODUCTS

Series 9 Integrated Single DishDrawer™ Dishwasher
DD60S4HI2 (water softener model)

Series 9 Integrated Tall Single DishDrawer™ Dishwasher
DD60ST4HI2 (water softener model)

SERIES & STYLE


Series 9
Custom and accessory handle options

FEATURES

- 1 Single drawer designed for true half-load dish care.
- 2 Panel-ready design supports seamless integration within custom cabinetry.
- 3 Capacitive touch controls make everyday operation simple and intuitive.
- 4 **Tall:** Extra height fits larger dishes and cookware, including full-size dinner plates up to 310mm.
Standard: Standard-height drawer fits full-size dinner plates and everyday cookware.
- 5 Designed to suit everyday dish loads without needing to fill a full dishwasher.
- 6 Designed for bench-height installation to support ergonomic access.
- 7 Advanced wash technology supports improved energy and water efficiency.
- 8 Versatile wash cycles and modifiers support varied dish care needs.
- 9 Fan-assisted drying helps leave dishes ready to use.
- 10 Can be paired with other DishDrawer™ models or installed on its own.
- 11 New Door installation adjustment system allows fast and accurate door alignment to the surrounding cabinetry. Designed to fit, perfect results, beautiful to use.


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCT DIMENSIONS




ISO VIEW

CAVITY DIMENSIONS



ISO VIEW

PLUMBING AND ELECTRICAL



PRODUCT DIMENSIONS		mm
Ⓐ	Overall height*	410
Ⓑ	Overall width	599
Ⓒ	Overall depth**	553


*Does not include integrated door panel.

CAVITY DIMENSIONS		mm
Ⓐ	Cavity height	min 412
Ⓑ	Cavity width	min 600
Ⓒ	Cavity depth	min 575

PRODUCT SPECIFICATIONS	
WEIGHT	33 kg
PACKAGED WEIGHT	40 kg
PACKAGED DIMENSIONS	H 520mm x W 700mm x D 720mm
ELECTRICAL	
Dedicated Service (A)	5
Rated Power (W)	1200
Supply (Hz)	50
Voltage (V)	220-240
PLUMBING	
Supply	3/4" (20mm) BSP connector water inlet hose
Pressure	Min 0.1 Mpa (14.5psi), Max 1 Mpa (145psi) Cold water connection @ 20°C


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCT DIMENSIONS




ISO VIEW

CAVITY DIMENSIONS



ISO VIEW

PLUMBING AND ELECTRICAL



REAR VIEW

ISO VIEW

PRODUCT DIMENSIONS		mm
Ⓐ	Overall height	454
Ⓑ	Overall width	599
Ⓒ	Overall depth**	553

CAVITY DIMENSIONS		mm
Ⓐ	Cavity height	min 457
Ⓑ	Cavity width	min 600
Ⓒ	Cavity depth	min 575

PRODUCT SPECIFICATIONS	
WEIGHT	33 kg
PACKAGED WEIGHT	40 kg
PACKAGED DIMENSIONS	H 520mm x W 700mm x D 720mm
ELECTRICAL	
Dedicated Service (A)	5
Rated Power (W)	1200
Supply (Hz)	50
Voltage (V)	220-240
PLUMBING	
Supply	3/4" (20mm) BSP connector water inlet hose
Pressure	Min 0.1 Mpa (14.5psi), Max 1 Mpa (145psi) Cold water connection @ 20°C

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com



DD60D4HI2

OVERVIEW

The Series 9 Integrated Double DishDrawer™ Dishwasher is designed for seamless integration within custom cabinetry. Independent drawers support flexible dish care, while advanced wash technology and intuitive controls help support improved energy and water efficiency.

PRODUCTS

Series 9 Integrated Double DishDrawer™ Dishwasher
DD60D4HI2 (water softener model)

SERIES & STYLE


Series 9
Custom and accessory handle options

FEATURES

- 1 Independent drawers can run separately or together.
- 2 Panel-ready design supports seamless integration within custom cabinetry.
- 3 Designed for bench-height installation to support ergonomic access.
- 4 Capacitive touch controls make everyday operation simple and intuitive.
- 5 Advanced wash technology supports improved energy and water efficiency.
- 6 Each drawer fits full-size dinner plates up to 280mm in diameter.
- 7 Adaptable racking accommodates a range of dishware and cookware.
- 8 Versatile wash cycles and modifiers support varied dish care needs.
- 9 Fan-assisted drying helps leave dishes ready to use.
- 10 SmartHQ™ connectivity offers remote control and notifications through the app.
- 11 New Door installation adjustment system allows fast and accurate door alignment to the surrounding cabinetry. Designed to fit, perfect results, beautiful to use.


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCT DIMENSIONS




ISO VIEW

CAVITY DIMENSIONS




ISO VIEW

PLUMBING AND ELECTRICAL



REAR VIEW



ISO VIEW

PRODUCT DIMENSIONS	mm
Ⓐ Overall height*	820 – 880
Ⓑ Overall width	599
Ⓒ Overall depth**	553
Ⓓ Height from bottom of door to floor*	101 - 161

*Depending on adjustment of levelling feet.
**Does not include integrated door panel.
Black toe kick supplied; custom toe kick optional

CAVITY DIMENSIONS	mm
Ⓐ Cavity height*	822 - 882
Ⓑ Cavity width	min 600
Ⓒ Cavity depth	min 580

*Depending on adjustment of levelling feet.

PRODUCT SPECIFICATIONS	
WEIGHT	59 kg
PACKAGED WEIGHT	67 kg
PACKAGED DIMENSIONS	H 937mm x W 700mm x D 720mm
ELECTRICAL	
Dedicated Service (A)	10
Rated Power (W)	2400
Supply (Hz)	50
Voltage (V)	220-240
PLUMBING	
Supply	3/4" (20mm) BSP connector water inlet hose
Pressure	Min 0.1 Mpa (14.5psi), Max 1 Mpa (145psi) Cold water connection @ 20°C

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com



DD60S2HCX2

OVERVIEW

The Series 7 Contemporary Single DishDrawer™ Dishwasher represents the next evolution of DishDrawer™ design, delivering advanced performance, quiet operation and true half-load dish care. Its single-drawer format supports flexible kitchen planning, while updated wash technology enables efficient use of energy and water to suit everyday living.

PRODUCTS

Series 7 Contemporary Single DishDrawer™ Dishwasher
DD60S2HCX2 (water softener model)

Not available in all markets

SERIES & STYLE


Series 7
Contemporary Pocket Handle

FEATURES

- 1 Single drawer format supports true half-load dish care
- 2 Designed to suit everyday dish loads without needing to fill a full dishwasher
- 3 Can be installed at bench height for easy access with minimal bending
- 4 Accommodates full-size dinner plates within a single drawer
- 5 Adaptable racking allows flexibility for different dishware and cookware
- 6 Versatile wash cycles and modifiers support a range of dish care needs
- 7 Fan-assisted drying helps leave dishes ready to use
- 8 Quiet operation suits open-plan kitchen environments
- 9 SmartHQ™ connectivity offers remote control and notifications through the app
- 10 Can be paired with other DishDrawer™ Dishwasher models or installed on its own

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com


PRODUCT DIMENSIONS



ISO VIEW

	mm
A Overall height	410
B Overall width	599
C Overall depth	573


CAVITY DIMENSIONS



ISO VIEW

	mm
A Overall height	min 412
B Overall width	min 600
C Overall depth	min 575

PLUMBING AND ELECTRICAL



REAR VIEW

ISO VIEW

PRODUCT SPECIFICATIONS	
Weight	33 kg
Packaged Weight	40 kg
Packaged dimensions	H 520mm x W 700mm x D 720mm
Electrical	
Dedicated Service (A)	5
Rated Power (W)	1200
Supply (Hz)	50
Voltage (V)	220-240
Plumbing	
Supply	3/4" (20mm) BSP connector water inlet hose.
Pressure	Min 0.1 Mpa (14.5psi), Max 1 Mpa (145psi) Cold water connection @ 20°C

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com



DD60ST2HNX2

OVERVIEW

The Series 7 Contemporary Tall Single DishDrawer™ Dishwasher builds on the drawer format with added height to accommodate larger plates and cookware. Designed for true half-load dish care, it supports flexible kitchen planning and everyday use, while updated wash technology enables efficient use of energy and water.

PRODUCTS

Series 7 Contemporary Tall Single DishDrawer™ Dishwasher
DD60ST2HNX2 (water softener model)
Contemporary Recessed Handle, Stainless Steel

Not available in all markets

SERIES & STYLE


Series 7
Contemporary Recessed Handle

FEATURES

- 1 Single drawer format supports true half-load dish care
- 2 Designed to suit everyday dish loads without needing to fill a full dishwasher
- 3 Can be installed at bench height for easy access with minimal bending
- 4 Accommodates full-size dinner plates within a single drawer
- 5 Adaptable racking allows flexibility for different dishware and cookware
- 6 Versatile wash cycles and modifiers support a range of dish care needs
- 7 Fan-assisted drying helps leave dishes ready to use
- 8 Quiet operation suits open-plan kitchen environments
- 9 SmartHQ™ connectivity offers remote control and notifications through the app
- 10 Can be paired with other DishDrawer™ models or installed on its own
- 11 Extra height fits larger dishes and cookware, including full-size dinner plates up to 310mm
- 12 Can be installed at bench height for easy access with minimal bending
- 13 Contemporary stainless steel finish suits modern kitchen designs


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCT DIMENSIONS




ISO VIEW

CAVITY DIMENSIONS




ISO VIEW

PLUMBING AND ELECTRICAL



REAR VIEW



ISO VIEW

	mm
A Overall height	454
B Overall width	599
C Overall depth	573

	mm
A Overall height	min 457
B Overall width	min 600
C Overall depth	min 575

PRODUCT SPECIFICATIONS

Weight	33 kg
Packaged Weight	40 kg
Packaged dimensions	H 520mm x W 700mm x D 720mm
Electrical	
Dedicated Service (A)	5
Rated Power (W)	1200
Supply (Hz)	50
Voltage (V)	220-240
Plumbing	
Supply	3/4" (20mm) BSP connector water inlet hose.
Pressure	Min 0.1 Mpa (14.5psi), Max 1 Mpa (145psi) Cold water connection @ 20°C

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com



DD60D2HNX2

OVERVIEW

The Series 7 Contemporary Double DishDrawer™ Dishwasher represents the next evolution of DishDrawer™ design, offering advanced performance and everyday flexibility. Its double-drawer format allows each drawer to operate independently or together, while updated wash technology supports efficient use of energy and water to suit the demands of everyday living.

PRODUCTS

Series 7 Contemporary Double DishDrawer™ Dishwasher

DD60D2HNX2
Contemporary Recessed Handle, Stainless Steel (water softener model)

SERIES & STYLE


Series 7
Contemporary Recessed Handle

FEATURES

- 1 Independent drawers can run separately or together
- 2 Two drawers allow flexible dish care across multiple loads
- 3 Can be installed at bench height for easy access with minimal bending
- 4 Each drawer fits full-size dinner plates up to 280mm diameter
- 5 Adaptable racking accommodates a range of dishware and cookware
- 6 Versatile wash cycles and modifiers support different dish care needs
- 7 Fan-assisted drying helps leave dishes ready to use
- 8 Quiet operation suits open-plan kitchen environments
- 9 Contemporary stainless steel finish suits modern kitchen designs
- 10 SmartHQ™ connectivity offers remote control and notifications through the app


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCT DIMENSIONS




ISO VIEW

CAVITY DIMENSIONS




ISO VIEW

PLUMBING AND ELECTRICAL



REAR VIEW



ISO VIEW

	mm
A Overall height*	820 – 880
B Overall width	599
C Overall depth	573
D Height from bottom of door to floor	101 - 161

* Depending on adjustment of levelling feet

	mm
A Overall height*	822 - 882
B Overall width	min 600
C Overall depth	min 580

*Depending on adjustment of levelling feet

PRODUCT SPECIFICATIONS

Weight	59 kg
Packaged Weight	67 kg
Packaged dimensions	H 937mm x W 700mm x D 720mm
Electrical	
Dedicated Service (A)	10
Rated Power (W)	2400
Supply (Hz)	50
Voltage (V)	220-240
Plumbing	
Supply	3/4" (20mm) BSP connector water inlet hose
Pressure	Min 0.1 Mpa (14.5psi), Max 1 Mpa (145psi) Cold water connection @ 20°C

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website [fisherpaykel.com](https://www.fisherpaykel.com)

