OVEN
INSTALLATION CONSIDERATIONS

Accessing your product specifications 3
Electrical connection 5

FISHER & PAYKEL

NZ AU GB SG

CONTEMPORARY


OB60SBC5B5, OB60SBC6B5, OB60SBC7B5, OB60NBC7B5, OB60SBCPGX5, OB60SBCPGB5, OB60SBCGX5, OB60SBCGB5


ACCESSING YOUR PRODUCT SPECIFICATIONS

For full product, cabinetry and service specifications, refer to the Planning Guide. To access the Planning Guide, scan the QR code or visit fisherpaykel.com/specify. Search by appliance type, product name or model code.

FULL SIZE MODELS

OB60SBC5B5, OB60SBC6B5, OB60SBC7B5, OB60SBCPGX5, OB60SBCPGB5, OB60SBCGX5, OB60SBCGB5





PRODUCT DIMENSIONS	mm
Ⓐ Overall height	598
Ⓑ Overall width	596
Ⓒ Chassis height	575
Ⓓ Chassis width	556
Ⓔ Chassis depth	545
Ⓕ Control panel thickness	20

CAVITY DIMENSIONS	mm
Ⓐ Minimum inside height of cavity	580
Ⓑ Minimum inside width of cavity	560
Ⓒ Minimum inside depth of cavity*	550


*Measured from front of chassis.


ACCESSING YOUR PRODUCT SPECIFICATIONS

For full product, cabinetry and service specifications, refer to the Planning Guide. To access the Planning Guide, scan the QR code or visit fisherpaykel.com/specify. Search by appliance type, product name or model code.

COMPACT MODELS

OB60NBC7B5





PRODUCT DIMENSIONS	mm
Ⓐ Overall height	458
Ⓑ Overall width	596
Ⓒ Chassis height	435
Ⓓ Chassis width	556
Ⓔ Chassis depth	545
Ⓕ Control panel thickness	20

CAVITY DIMENSIONS	mm
Ⓐ Minimum inside height of cavity	440
Ⓑ Minimum inside width of cavity	560
Ⓒ Minimum inside depth of cavity*	550

*Measured from front of chassis.

ELECTRICAL CONNECTION

SPECIFICATIONS	OB60 MODELS
DEDICATED CIRCUIT (A)	16
SUPPLY (Hz)	50 - 60
VOLTAGE (V)	220 – 240

FISHERPAYKEL.COM

© Fisher & Paykel Appliances 2026. All rights reserved.

The models shown in this guide may not be available in all markets and are subject to change at any time.

The product specifications in this guide apply to the specific products and models described at the date of issue. Under our policy of continuous product improvement, these specifications may change at any time.

For current details about model and specification availability in your country, please go to our website or contact your local Fisher & Paykel dealer.

433364A 06.26