


HDW15F2S2, HDW15F2B2

500 Series Freestanding Dishwasher

Haier



HDW15F2S2



HDW15F2B2

Height

850 - 895mm

Width

597mm

Depth

600mm

Weight (Packaged)

53kg

Weight (Product)

46kg

FEATURES

- Eight wash programmes, including Auto Wash Sensing, select temperature and cycle length to suit the load. Four wash modifiers, Intensive, +Dry, Half Load and Sanitise, fine-tune the chosen programme
- Fifteen place settings make room for a full day of dishes in one wash.
- 5.5-star water and 4.5-star energy ratings
- A full-width cutlery tray and three racking levels create more ways to load.
- A two-position middle basket makes room for plates up to 320mm in the lower basket
- A brushless motor reduces friction and vibration for a quiet 44 dBA operation
- ThermoDry uses heat left after the final rinse for natural-condensation drying. Auto Door Open Dry then releases the door to let steam escape
- Wi-Fi connectivity with SmarthQ™ lets you start a cycle, check time remaining and receive an alert when it finishes
- Improved door front design features intuitive and easy-to-clean capacitive touch controls

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website haier.com


HDW15F1S2, HDW15F1B2

500 Series Freestanding Dishwasher

Haier



HDW15F1S2



HDW15F1B2

Height

850 - 895mm

Width

597mm

Depth

600mm

Weight (Packaged)

53kg

Weight (Product)

46kg


FEATURES

- Eight wash programmes, including Auto Wash Sensing, select temperature and cycle length to suit the load.
- Four wash modifiers, Intensive, +Dry, Half Load and Sanitise, fine-tune the chosen programme.
- Fifteen place settings make room for a full day of dishes in one wash.
- 5-star water and 3.5-star energy ratings
- A two-position upper basket gives more flexibility for loading.
- Lift the upper basket to make room for plates up to 320mm in the lower basket.
- Quiet 47 dBA keeps the wash quiet in the background.
- ThermoDry uses heat left after the final rinse to draw moisture away through natural condensation.
- Foldable cup racks and fold-flat lower tines make room for taller items.
- Improved door front design features intuitive and easy-to-clean capacitive touch controls

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website haier.com

Product Overview

PRODUCT DIMENSIONS




FRONT VIEW

SIDE VIEW

		mm
A	Overall height	850 - 895
B	Overall width	597
C	Overall depth (door closed)	600
D	Depth of door opening	620

CAVITY DIMENSIONS




FRONT VIEW

		mm
A	Minimum height of cavity	850 - 895
B	Minimum width of cavity	600
C	Minimum Height of rear plumbing and electrical clearance	100 - 145
D	Minimum Depth of rear plumbing and electrical clearance	60

SERVICES

- Supply220-240 V, 50 Hz
- Service10 A
- ConnectionFlex cord with plug
- Plumbing3/4 BSP (20mm) connector water inlet hose
Min. 34.5kPa, max 1034kPa
Cold water connection 20C




SIDE VIEW

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website haier.com


Product Overview

PRODUCT DIMENSIONS



		mm
A	Overall height	850 - 895
B	Overall width	597
C	Overall depth	600

CAVITY DIMENSIONS



		mm
A	Minimum height of cavity	850 - 895
B	Minimum width of cavity	600
C	Minimum depth of cavity	600

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website haier.com