

DISHDRAWER™ DISHWASHERS

PLANNING GUIDE

SERIES 9

INTEGRATED SINGLE | DD60ST4I2 | DD60S4I2 | DD60ST4HI2 | DD60S4HI2

INTEGRATED DOUBLE | DD60D4I2 | DD60D4HI2

CONTEMPORARY SINGLE | DD60ST4DX2 | DD60ST4HDX2

CONTEMPORARY DOUBLE | DD60D4DX2 | DD60D4HDX2 | DD60D2HNB2

SERIES 7

CONTEMPORARY SINGLE | DD60ST2NB2 | DD60ST2NX2 | DD60S2CCX2 |

DD60S2CX2 | DD60S2HCX2 | DD60ST2HNB2 | DD60ST2HNX2

CONTEMPORARY DOUBLE | DD60D2NB2 | DD60D2HNB2 | DD60D2NX2 |

DD60D2CCX2 | DD60D2CX2 | DD60D2HNX2 | DD60D2HCX2

FISHER & PAYKEL

INTRODUCTION

This comprehensive planning guide provides you with the framework and tools to achieve your desired design outcome with Fisher & Paykel appliances. In this guide, you will find a range of conceptual, detailed, and dimensional product information to bring your ideas to life and create spaces that truly reflect your vision.

SUPPORT

For additional design planning and installation support please contact the Fisher & Paykel design support team.
designsupport@fisherpaykel.com

NOTES

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Refer to our website fisherpaykel.com for the latest document version. Product specifications may vary from those shown.
This Planning Guide should not be used as installation guidance for any product. Specific installation guidance will be available with the product on delivery and on our website.

CONTENTS

CONCEPT DESIGN	PAGE	DEVELOPED AND DETAILED DESIGN	PAGE	DEVELOPED AND DETAILED DESIGN	PAGE
DESIGN CHOICE					
Style overview	4				
Integrated overview	5				
Contemporary overview	6				
SPECIFICATION GUIDE					
SERIES 9 INTEGRATED					
DD60S4I2, DD60ST4I2, DD60S4HI2, DD60ST4HI2	8				
DD60S4I2, DD60S4HI2	9				
DD60ST4I2, DD60ST4HI2	10				
DD60D4I2, DD60D4HI2	11				
SERIES 9 CONTEMPORARY					
DD60ST4DX2, DD60ST4HDX2	13				
DD60D4DX2, DD60D4HDX2	15				
SERIES 7 CONTEMPORARY					
DD60S2CX2, DD60D2HCX2, DD60S2CCX2	18				
DD60ST2NX2, DD60ST2NB2, DD60ST2HNX2, DD60ST2HNB2	19				
DD60ST2NX2, DD60ST2NB2, DD60ST2HNX2, DD60ST2HNB2	20				
DD60D2CX2, DD60D2CCX2, DD60D2HCX2	22				
DD60D2NX2, DD60D2NB2, DD60D2HNX2, DD60D2HNB2	23				

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

DESIGN CHOICE

INTEGRATED DISHDRAWER™ DISHWASHER



PANEL READY CUSTOM HANDLE

CONTEMPORARY DISHDRAWER™ DISHWASHER



CONTEMPORARY PROUD HANDLE



CONTEMPORARY RECESSED HANDLE



CONTEMPORARY POCKET HANDLE

Defined by clean lines and timeless design cues, Contemporary style DishDrawer™ Dishwashers bring a sense of balance and refinement to the kitchen.

With minimal installation gaps for a precise, flush fit, Integrated style DishDrawer™ Dishwashers blend effortlessly into surrounding cabinetry. Choose to fully conceal with custom panels or contrast with stainless steel finishes for a cohesive, considered kitchen design.

The proud handle adds visual definition and a tactile element that enhances both the look and usability of the design.


The recessed handle creates a seamless, uninterrupted flow, a functional design detail that supports the clean aesthetic of recessed-handle kitchens and complements a range of interior styles.

The pocket handle offers versatile styling, designed to align with a wide range of appliance aesthetics, whether specified for a replacement appliance or a new kitchen design.


*Details for Handle and door panel accessories for integrated dishwashers are available on the website

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

INTEGRATED SINGLE



INTEGRATED DOUBLE



STYLE	MODELS	PANEL OPTIONS	HANDLE OPTIONS
① Integrated Single Dishdrawer™ Dishwasher Series 9	DD60S4I2 DD60S4HI2	Custom panel Stainless Steel ADDD60SPX Black Stainless Steel ADDD60SPB	Custom handle, Accessory handles*
② Integrated Tall Single Dishdrawer™ Dishwasher Series 9	DD60ST4I2 DD60ST4HI2	Custom panel Stainless Steel ADDD60STPX Black Stainless Steel ADDD60STPB	Custom handle, Accessory handles*
③ Integrated Double Dishdrawer™ Dishwasher Series 9	DD60D4I2 DD60D4HI2	Custom panel Stainless Steel ADDD60DPX Black Stainless Steel ADDD60DPB	Custom handle, Accessory handles*


*Contemporary Brushed Aluminium AHD7DDDW60S, Contemporary Brushed Aluminium Black AHD7DDDW60B, Minimal Grey Handle AHM1DDDW60G, Minimal Black Handle AHM1DDDW60B.

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

CONTEMPORARY SINGLE

CONTEMPORARY TALL SINGLE

CONTEMPORARY DOUBLE



STYLE	MODELS	FINISH	HANDLE STYLE
① Contemporary Single DishDrawer™ Dishwasher Series 7	DD60S2CX2 DD60S2CCX2	Stainless Steel Stainless Steel	Contemporary Pocket handle
② Contemporary Tall Single DishDrawer™ Dishwasher Series 7	DD60ST2NX2 DD60ST2NB2 DD60ST2HNX2 DD60ST2HNB2	Stainless Steel Black Stainless Steel Stainless Steel Black Stainless Steel	Contemporary Recessed handle
③ Contemporary Tall Single DishDrawer™ Dishwasher Series 9	DD60ST4DX2 DD60ST4HDX2	Stainless Steel Stainless Steel	Contemporary Proud handle
④ Contemporary Double DishDrawer™ Dishwasher Series 7	DD60D2CX2 DD60D2CCX2	Stainless Steel Stainless Steel	Contemporary Pocket handle
⑤ Contemporary Double DishDrawer™ Dishwasher Series 7	DD60D2NX2 DD60D2NB2 DD60D2HNX2 DD60D2HNB2	Stainless Steel Black Stainless Steel Stainless Steel Black Stainless Steel	Contemporary Recessed handle
⑥ Contemporary Double DishDrawer™ Dishwasher Series 9	DD60D4DX2 DD60D4HDX2	Stainless Steel Stainless Steel	Contemporary Proud Handle

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

SPECIFICATION GUIDE



DD60S4I2, DD60S4HI2



DD60ST4I2, DD60ST4HI2

OVERVIEW

The Series 9 Integrated Single DishDrawer™ Dishwasher is designed for true half-load dish care in a single drawer format. Panel-ready for seamless cabinetry integration, it supports flexible placement within the kitchen, while advanced wash technology and intuitive controls help support improved energy and water efficiency.

The Series 9 Integrated Tall Single DishDrawer™ Dishwasher extends the drawer format with added height to accommodate larger dishes and cookware. Designed for true half-load dish care, it supports flexible kitchen planning and bench-height installation, while advanced wash technology and intuitive controls help support improved energy and water efficiency.

PRODUCTS

Series 9 Integrated Single DishDrawer™ Dishwasher*
DD60S4I2
DD60S4HI2 (water softener model)

Series 9 Integrated Tall Single DishDrawer™ Dishwasher*
DD60ST4I2
DD60ST4HI2 (water softener model)

*Not available in all markets

SERIES & STYLE


Series 9
Custom Handle

FEATURES

- 1 Single drawer designed for true half-load dish care
- 2 Panel-ready design supports seamless integration within custom cabinetry
- 3 Capacitive touch controls make everyday operation simple and intuitive
- 4 **Tall:** Extra height fits larger dishes and cookware, including full-size dinner plates up to 310mm.
Standard: Standard-height drawer fits full-size dinner plates and everyday cookware
- 5 Designed to suit everyday dish loads without needing to fill a full dishwasher
- 6 Designed for bench-height installation to support ergonomic access
- 7 Advanced wash technology supports improved energy and water efficiency
- 8 Versatile wash cycles and modifiers support varied dish care needs
- 9 Fan-assisted drying helps leave dishes ready to use
- 10 Can be paired with other DishDrawer™ models or installed on its own
- 11 New Door installation adjustment system allows fast and accurate door alignment to the surrounding cabinetry. Designed to fit, perfect results, beautiful to use


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCT DIMENSIONS




ISO VIEW

CAVITY DIMENSIONS




ISO VIEW

PLUMBING AND ELECTRICAL



REAR VIEW



ISO VIEW

	mm
A Overall height	410
B Overall width	599
C Overall depth*	553

*Does not include integrated door panel.


	mm
A Overall height	min 412
B Overall width	min 600
C Overall depth	min 575

PRODUCT SPECIFICATIONS

Weight	33 kg
Packaged Weight	40 kg
Packaged dimensions	H 520mm x W 700mm x D 720mm
Electrical	
Dedicated Service (A)	5
Rated Power (W)	1200
Supply (Hz)	50
Voltage (V)	220-240
Plumbing	
Supply	3/4" (20mm) BSP connector water inlet hose.
Pressure	DD60S4I2: Min 0.03 Mpa (4.35psi), Max 1 Mpa (145psi) Cold water connection @ 20°C
	DD60S4HI2: Min 0.1 Mpa (14.5psi), Max 1 Mpa (145psi) Cold water connection @ 20°C


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCT DIMENSIONS




ISO VIEW

CAVITY DIMENSIONS




ISO VIEW

PLUMBING AND ELECTRICAL



REAR VIEW



ISO VIEW

	mm
A Overall height	454
B Overall width	599
C Overall depth*	553

*Does not include integrated door panel.

	mm
A Overall height	min 457
B Overall width	min 600
C Overall depth	min 575

PRODUCT SPECIFICATIONS

Weight	33 kg
Packaged Weight	40 kg
Packaged dimensions	H 520mm x W 700mm x D 720mm
Electrical	
Dedicated Service (A)	5
Rated Power (W)	1200
Supply (Hz)	50
Voltage (V)	220-240
Plumbing	
Supply	3/4" (20mm) BSP connector water inlet hose.
Pressure	DD60ST4I2: Min 0.03 Mpa (4.35psi), Max 1 Mpa (145psi) Cold water connection @ 20°C
	DD60ST4HI2: Min 0.1 Mpa (14.5psi), Max 1 Mpa (145psi) Cold water connection @ 20°C

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com



DD60D4I2, DD60D4HI2

OVERVIEW

The Series 9 Integrated Double DishDrawer™ Dishwasher is designed for seamless integration within custom cabinetry. Independent drawers support flexible dish care, while advanced wash technology and intuitive controls help support improved energy and water efficiency.

PRODUCTS

Series 9 Integrated Double DishDrawer™ Dishwasher*
DD60D4I2
DD60D4HI2 (water softener model)

*Not available in all markets

SERIES & STYLE


Series 9
Custom Handle

FEATURES

- 1 Independent drawers can run separately or together
- 2 Panel-ready design supports seamless integration within custom cabinetry
- 3 Designed for bench-height installation to support ergonomic access
- 4 Capacitive touch controls make everyday operation simple and intuitive
- 5 Advanced wash technology supports improved energy and water efficiency
- 6 Each drawer fits full-size dinner plates up to 280mm diameter
- 7 Adaptable racking accommodates a range of dishware and cookware
- 8 Versatile wash cycles and modifiers support different dish care needs
- 9 Fan-assisted drying helps leave dishes ready to use
- 10 SmartHQ™ connectivity offers remote control and notifications through the app
- 11 New Door installation adjustment system allows fast and accurate door alignment to the surrounding cabinetry. Designed to fit, perfect results, beautiful to use


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCT DIMENSIONS




ISO VIEW

CAVITY DIMENSIONS




ISO VIEW

PLUMBING AND ELECTRICAL



REAR VIEW



ISO VIEW

	mm
A Overall height*	820 – 880
B Overall width	599
C Overall depth**	553
D Height from bottom of door to floor*	101 - 161

* Depending on adjustment of levelling feet
**Does not include integrated door panel.
Black toe kick supplied; custom toe kick optional

	mm
A Overall height*	822 - 882
B Overall width	min 600
C Overall depth	min 580

*Depending on adjustment of levelling feet

PRODUCT SPECIFICATIONS	
Weight	59 kg
Packaged Weight	67 kg
Packaged dimensions	H 937mm x W 700mm x D 720mm
Electrical	
Dedicated Service (A)	10
Rated Power (W)	2400
Supply (Hz)	50
Voltage (V)	220-240
Plumbing	
Supply	3/4" (20mm) BSP connector water inlet hose
Pressure	DD60D4I2: Min 0.03 Mpa (4.35psi), Max 1 Mpa (145psi) Cold water connection @ 20°C
	DD60D4HI2: Min 0.1 Mpa (14.5psi), Max 1 Mpa (145psi) Cold water connection @ 20°C

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com



DD60ST4DX2, DD60ST4HDX2

OVERVIEW

The Series 9 Contemporary Tall Single DishDrawer™ Dishwasher extends the drawer format with added height to accommodate larger dishes and cookware. Designed for true half-load dish care, it supports flexible kitchen planning and bench-height installation, while advanced wash technology and intuitive controls help support improved energy and water efficiency.

PRODUCTS

Series 9 Contemporary Tall Single DishDrawer™ Dishwasher*
DD60ST4DX2
DD60ST4HDX2 (water softener model)

*Not available in all markets

SERIES & STYLE


Series 9
Contemporary Proud Handle

FEATURES

- 1 Single tall drawer designed for true half-load dish care
- 2 Designed to suit everyday dish loads without needing to fill a full dishwasher
- 3 Extra height fits larger dishes and cookware, including full-size dinner plates up to 310mm
- 4 Capacitive touch controls make everyday operation simple and intuitive
- 5 Designed for bench-height installation to support ergonomic access
- 6 Advanced wash technology supports improved energy and water efficiency
- 7 Versatile wash cycles and modifiers support varied dish care needs
- 8 Fan-assisted drying helps leave dishes ready to use
- 9 Contemporary stainless steel finish suits modern kitchen designs
- 10 Can be paired with other DishDrawer™ models or installed on its own


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCT DIMENSIONS




ISO VIEW

CAVITY DIMENSIONS




ISO VIEW

PLUMBING AND ELECTRICAL



REAR VIEW



ISO VIEW

	mm
A Overall height	454
B Overall width	599
C Overall depth	573

	mm
A Overall height	min 457
B Overall width	min 600
C Overall depth	min 575

PRODUCT SPECIFICATIONS

Weight	33 kg
Packaged Weight	40 kg
Packaged dimensions	H 520mm x W 700mm x D 720mm
Electrical	
Dedicated Service (A)	5
Rated Power (W)	1200
Supply (Hz)	50
Voltage (V)	220-240
Plumbing	
Supply	3/4" (20mm) BSP connector water inlet hose.
Pressure	DD60ST4DX2: Min 0.03 Mpa (4.35psi), Max 1 Mpa (145psi) Cold water connection @ 20°C
	DD60ST4HDX2: Min 0.1 Mpa (14.5psi), Max 1 Mpa (145psi) Cold water connection @ 20°C

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com



DD60D4DX2, DD60D4HDX2

OVERVIEW

The Series 9 Contemporary Double DishDrawer™ Dishwasher supports flexible dish care with independent drawers that can run separately or together. Designed for bench-height installation, it combines advanced wash technology with intuitive controls to support improved energy and water efficiency, while accommodating a wide range of dishware in contemporary kitchen designs.

PRODUCTS

Series 9 Contemporary Double DishDrawer™ Dishwasher*
DD60D4DX2
DD60D4HDX2 (water softener model)

*Not available in all markets

SERIES & STYLE


Series 9
Contemporary Proud Handle

FEATURES

- 1 Independent drawers can run separately or together
- 2 Designed for bench-height installation to support ergonomic access
- 3 Advanced wash technology supports improved energy and water efficiency
- 4 Each drawer fits full-size dinner plates up to 280mm in diameter
- 5 Capacitive touch controls make everyday operation simple and intuitive
- 6 Adaptable racking accommodates a range of dishware and cookware
- 7 Versatile wash cycles and modifiers support different dish care needs
- 8 Fan-assisted drying helps leave dishes ready to use
- 9 Contemporary stainless steel finish suits modern kitchen designs
- 10 SmartHQ™ connectivity offers remote control and notifications through the app

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCT DIMENSIONS




ISO VIEW

	mm
A Overall height*	820 – 880
B Overall width	599
C Overall depth	573
D Height from bottom of door to floor	101 - 161

* Depending on adjustment of levelling feet

CAVITY DIMENSIONS




ISO VIEW

	mm
A Overall height*	822 - 882
B Overall width	min 600
C Overall depth	min 580

*Depending on adjustment of levelling feet

PLUMBING AND ELECTRICAL



REAR VIEW

ISO VIEW

PRODUCT SPECIFICATIONS	
Weight	59 kg
Packaged Weight	67 kg
Packaged dimensions	H 937mm x W 700mm x D 720mm
Electrical	
Dedicated Service (A)	10
Rated Power (W)	2400
Supply (Hz)	50
Voltage (V)	220-240
Plumbing	
Supply	3/4" (20mm) BSP connector water inlet hose
Pressure	DD60D4DX2: Min 0.03 Mpa (4.35psi), Max 1 Mpa (145psi) Cold water connection @ 20°C DD60D4HDX2: Min 0.1 Mpa (14.5psi), Max 1 Mpa (145psi) Cold water connection @ 20°C

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com



DD60S2CX2, DD60S2CCX2

OVERVIEW

The Series 7 Contemporary Single DishDrawer™ Dishwasher represents the next evolution of DishDrawer™ design, delivering advanced performance, quiet operation and true half-load dish care. Its single-drawer format supports flexible kitchen planning, while updated wash technology enables efficient use of energy and water to suit everyday living.

PRODUCTS

Series 7 Contemporary Single DishDrawer™ Dishwasher*
DD60S2CX2
DD60D2HCX2 (water softener model)
DD60S2CCX2

*Not available in all markets

SERIES & STYLE


Series 7
Contemporary Pocket Handle

FEATURES

- 1 Single drawer format supports true half-load dish care
- 2 Designed to suit everyday dish loads without needing to fill a full dishwasher
- 3 Can be installed at bench height for easy access with minimal bending
- 4 Accommodates full-size dinner plates within a single drawer
- 5 Adaptable racking allows flexibility for different dishware and cookware
- 6 Versatile wash cycles and modifiers support a range of dish care needs
- 7 Fan-assisted drying helps leave dishes ready to use
- 8 Quiet operation suits open-plan kitchen environments
- 9 SmartHQ™ connectivity offers remote control and notifications through the app
- 10 Can be paired with other DishDrawer™ Dishwasher models or installed on its own


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCT DIMENSIONS




ISO VIEW

CAVITY DIMENSIONS




ISO VIEW

PLUMBING AND ELECTRICAL



REAR VIEW



ISO VIEW

	mm
A Overall height	410
B Overall width	599
C Overall depth	573

	mm
A Overall height	min 412
B Overall width	min 600
C Overall depth	min 575

PRODUCT SPECIFICATIONS	
Weight	33 kg
Packaged Weight	40 kg
Packaged dimensions	H 520mm x W 700mm x D 720mm
Electrical	
Dedicated Service (A)	5
Rated Power (W)	1200
Supply (Hz)	50
Voltage (V)	220-240
Plumbing	
Supply	3/4" (20mm) BSP connector water inlet hose.
Pressure	DD60S2CX2, DD60S2CCX2: Min 0.03 Mpa (4.35psi), Max 1 Mpa (145psi) Cold water connection @ 20°C

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com



DD60ST2NX2, DD60ST2HNX2



DD60ST2NB2, DD60ST2HNB2

OVERVIEW

The Series 7 Contemporary Tall Single DishDrawer™ Dishwasher builds on the drawer format with added height to accommodate larger plates and cookware. Designed for true half-load dish care, it supports flexible kitchen planning and everyday use, while updated wash technology enables efficient use of energy and water.

PRODUCTS

Series 7 Contemporary Tall Single DishDrawer™ Dishwasher*
DD60ST2NX2
DD60ST2HNX2 (water softener model)
Contemporary Recessed Handle, Stainless Steel

DD60ST2NB2
DD60ST2HNB2 (water softener model)
Contemporary Recessed Handle, Black Stainless Steel

*Not available in all markets

SERIES & STYLE


Series 7
Contemporary Recessed Handle

FEATURES

- 1Single drawer format supports true half-load dish care
- 2Designed to suit everyday dish loads without needing to fill a full dishwasher
- 3Extra height fits larger dishes and cookware, including full-size dinner plates up to 310mm
- 4Can be installed at bench height for easy access with minimal bending
- 5Adaptable racking allows flexibility for different dishware and cookware
- 6Versatile wash cycles and modifiers support a range of dish care needs
- 7Fan-assisted drying helps leave dishes ready to use
- 8Quiet operation suits open-plan kitchen environments
- 9SmartHQ™ connectivity offers remote control and notifications through the app
- 10Can be paired with other DishDrawer™ models or installed on its own


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCT DIMENSIONS




ISO VIEW

CAVITY DIMENSIONS




ISO VIEW

PLUMBING AND ELECTRICAL



REAR VIEW



ISO VIEW

	mm		mm
A Overall height	454	A Overall height	min 457
B Overall width	599	B Overall width	min 600
C Overall depth	573	C Overall depth	min 575

PRODUCT SPECIFICATIONS	
Weight	33 kg
Packaged Weight	40 kg
Packaged dimensions	H 520mm x W 700mm x D 720mm
Electrical	
Dedicated Service (A)	5
Rated Power (W)	1200
Supply (Hz)	50
Voltage (V)	220-240
Plumbing	
Supply	3/4" (20mm) BSP connector water inlet hose.
Pressure	DD60ST2NX2, DD60ST2NB2: Min 0.03 Mpa (4.35psi), Max 1 Mpa (145psi) Cold water connection @ 20°C
	DD60ST2HNX2, DD60ST2HNB2: Min 0.1 Mpa (14.5psi), Max 1 Mpa (145psi) Cold water connection @ 20°C

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com



DD60D2CX2, DD60D2CCX2, DD60D2HCX2



DD60D2NX2, DD60D2NB2, DD60D2HNX2, DD60D2HNB2

OVERVIEW

The Series 7 Contemporary Double DishDrawer™ Dishwasher represents the next evolution of DishDrawer™ design, offering advanced performance and everyday flexibility. Its double-drawer format allows each drawer to operate independently or together, while updated wash technology supports efficient use of energy and water to suit the demands of everyday living.

PRODUCTS

Series 7 Contemporary Double DishDrawer™ Dishwasher*

DD60D2CX2
DD60D2CCX2
DD60D2HCX2 (water softener model)
Contemporary Pocket Handle, Stainless Steel

DD60D2NX2
DD60D2HNX2 (water softener model)
Contemporary Recessed Handle, Stainless Steel

DD60D2NB2
DD60D2HNB2 (water softener model)
Contemporary Recessed Handle, Black Stainless Steel

*Not available in all markets.

SERIES & STYLE


Series 7
Contemporary Pocket Handle
Contemporary Recessed Handle

FEATURES

- 1 Independent drawers can run separately or together
- 2 Two drawers allow flexible dish care across multiple loads
- 3 Can be installed at bench height for easy access with minimal bending
- 4 Each drawer fits full-size dinner plates up to 280mm diameter
- 5 Adaptable racking accommodates a range of dishware and cookware
- 6 Versatile wash cycles and modifiers support different dish care needs
- 7 Fan-assisted drying helps leave dishes ready to use
- 8 Quiet operation suits open-plan kitchen environments
- 9 Contemporary stainless steel or black stainless steel finishes suit modern kitchen designs
- 10 SmartHQ™ connectivity offers remote control and notifications through the app


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCT DIMENSIONS




ISO VIEW

CAVITY DIMENSIONS



ISO VIEW

PLUMBING AND ELECTRICAL



REAR VIEW

ISO VIEW

	mm
A Overall height*	820 – 880
B Overall width	599
C Overall depth	573
D Height from bottom of door to floor	101 - 161

* Depending on adjustment of levelling feet

	mm
A Overall height*	822 - 882
B Overall width	min 600
C Overall depth	min 580


*Depending on adjustment of levelling feet

PRODUCT SPECIFICATIONS

Weight	59 kg
Packaged Weight	67 kg
Packaged dimensions	H 937mm x W 700mm x D 720mm
Electrical	
Dedicated Service (A)	10
Rated Power (W)	2400
Supply (Hz)	50
Voltage (V)	220-240
Plumbing	
Supply	3/4" (20mm) BSP connector water inlet hose
Pressure	DD60D2CX2, DD60D2CCX2: Min 0.03 Mpa (4.35psi), Max 1 Mpa (145psi) Cold water connection @ 20°C DD60D2HCX2: Min 0.1 Mpa (14.5psi), Max 1 Mpa (145psi) Cold water connection @ 20°C


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCT DIMENSIONS




ISO VIEW

CAVITY DIMENSIONS




ISO VIEW

PLUMBING AND ELECTRICAL



REAR VIEW



ISO VIEW

	mm
A Overall height*	820 – 880
B Overall width	599
C Overall depth	573
D Height from bottom of door to floor	101 - 161

* Depending on adjustment of levelling feet

	mm
A Overall height*	822 - 882
B Overall width	min 600
C Overall depth	min 580

*Depending on adjustment of levelling feet

PRODUCT SPECIFICATIONS

Weight	59 kg
Packaged Weight	67 kg
Packaged dimensions	H 937mm x W 700mm x D 720mm
Electrical	
Dedicated Service (A)	10
Rated Power (W)	2400
Supply (Hz)	50
Voltage (V)	220-240
Plumbing	
Supply	3/4" (20mm) BSP connector water inlet hose
Pressure	DD60D2NX2, DD60D2NB2: Min 0.03 Mpa (4.35psi), Max 1 Mpa (145psi) Cold water connection @ 20°C DD60D2HNX2, DD60D2HNB2: Min 0.1 Mpa (14.5psi), Max 1 Mpa (145psi) Cold water connection @ 20°C

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

