

SERIES 7 & 5 CONTEMPORARY DISHWASHER

PLANNING GUIDE

FREESTANDING DISHWASHER SERIES 7

DW60FC4X2 | DW60FC4X3 | DW60FC4B2 | DW60FC3X3 | DW60FC3B3

FREESTANDING DISHWASHER SERIES 5

DW60FC2B2 | DW60FC2X2 | DW60FC2X3 | DW60FC1B2 | DW60FC1X2 | DW60FC1X3

FISHER & PAYKEL

INTRODUCTION

This comprehensive planning guide provides you with the framework and tools to achieve your desired design outcome with Fisher & Paykel appliances. In this guide, you will find a range of conceptual, detailed, and dimensional product information to bring your ideas to life and create spaces that truly reflect your vision.

SUPPORT

For additional design planning and installation support please contact the Fisher & Paykel design support team.
designsupport@fisherpaykel.com

NOTES

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Refer to our website fisherpaykel.com for the latest document version. Product specifications may vary from those shown.
 This Planning Guide should not be used as installation guidance for any product. Specific installation guidance will be available with the product on delivery and on our website.

CONTENTS


CONCEPT DESIGN	PAGE	DEVELOPED AND DETAILED DESIGN	PAGE	DEVELOPED AND DETAILED DESIGN	PAGE
Specification guide		Data Sheets		Services	
DW60FC3X3, DW60FCSB3	4	All Models	10	All Models	12
DW60FC4B2, DW60FC4X2, DW60FC4X3	5				
DW60FC2X3, DW60FC2X2, DW60FC2B2	6				
DW60FC1X2, DW60FC1X3, DW60FC1B2	7				
All Models	8				

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available on our website fisherpaykel.com

SPECIFICATION GUIDE



DW60FC3B3,



DW60FC3X3

OVERVIEW

A freestanding dishwasher offering flexible placement across a range of configurations, available in Stainless Steel or Black Stainless Steel to complement our Contemporary style suite of appliances. Compatible with bench heights between 850–895mm, with a Triple Wash System, variable wash pressure and AutoDry, plus stemware grippers, pitch-adjustable tines and SmartHQ™ app connectivity for perfect results across a range of load types.

FEATURES

- 1 Freestanding installation anywhere in the kitchen, including under bench heights between 850–895mm
- 2 15 place setting capacity, easily accommodating plate sizes up to 320mm
- 3 Triple Wash System with three independent spray arms and three-stage filtration deliver perfect results across three racks
- 4 Auto Cycle sensing automatically adjusts time, temperature and water use to suit each load
- 5 AutoDry automatically opens the door at end of the cycle and releases steam for more effective drying
- 6 Seven wash programs including Auto, Eco and 60 Min cycles
- 7 Dry+, Sanitise and Half Load wash modifiers for added flexibility
- 8 Flexible racking with cutlery tray, height-adjustable middle basket, cup racks and pitch-adjustable foldable tines
- 9 Wi-Fi capability and SmartHQ™ app connectivity for remote control and notifications
- 10 4 star energy rating, 5 star water rating and 45dBA noise rating

PRODUCTS

Series 7 Contemporary Dishwasher, 60cm, Stainless Steel

DW60FC3X3

Series 7 Contemporary Dishwasher, 60cm, Black Stainless Steel

DW60FC3B3

Not available in all markets

SERIES & STYLE


Series 7

Contemporary

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available on our website fisherpaykel.com



DW60FC4B2



DW60FC4X2, DW60FC4X3

OVERVIEW

A freestanding dishwasher offering flexible placement across a range of configurations, available in Stainless Steel or Black Stainless Steel to complement our Contemporary style suite of appliances. Compatible with bench heights between 850–895mm, with Triple Wash System technology, Auto Cycle and AutoDry, plus a flexible cutlery tray, pitch-adjustable tines and SmarthQ™ app connectivity.

PRODUCTS

Series 7 Contemporary Dishwasher, 60cm, Stainless Steel

DW60FC4X2, DW60FC4X3

Series 7 Contemporary Dishwasher, 60cm, Black Stainless Steel

DW60FC4B2

SERIES & STYLE

Series 7

Contemporary


FEATURES

- 1** Freestanding installation anywhere in the kitchen, including under bench heights between 850–895mm
- 2** 15 place setting capacity, easily accommodating plate sizes up to 320mm
- 3** Triple Wash System with three independent spray arms and three-stage filtration deliver perfect results across three racks
- 4** Variable wash pressure adapts water flow and force to suit delicate glassware through to heavily soiled cookware
- 5** Seven wash programs including Auto Cycle, which automatically adjusts time, temperature and water use to suit each load
- 6** AutoDry automatically opens the door at end of the cycle and releases steam for more effective drying
- 7** Intensive, Dry+, Sanitise and Half Load wash modifiers for added flexibility
- 8** Flexible racking with cutlery tray, height-adjustable middle basket, cup racks and pitch-adjustable foldable tines
- 9** Wi-Fi capability and SmarthQ™ app connectivity for remote control and notifications
- 10** 4.5 star energy rating, 5.5 star water rating and 42dBA noise rating

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available on our website fisherpaykel.com



DW60FC2B2



DW60FC2X2, DW60FC2X3

OVERVIEW

A freestanding dishwasher with 4-star energy and 5-star water ratings, offering flexible placement across a range of configurations, available in Stainless Steel or Black Stainless Steel to complement our Contemporary style suite of appliances. Compatible with bench heights between 850–895mm, with Auto Cycle and AutoDry, plus flexible racking and cycle modifiers to suit a range of load types.

FEATURES

- 1 Freestanding installation anywhere in the kitchen, including under bench heights between 850–895mm
- 2 15 place setting capacity, easily accommodating plate sizes up to 320mm
- 3 Auto Cycle sensing automatically adjusts time, temperature and water use to suit each load
- 4 AutoDry automatically opens the door at end of the cycle and releases steam for more effective drying
- 5 Seven wash programs including Auto, Eco and 60 Min cycles
- 6 Dry+, Sanitise and Half Load wash modifiers for added flexibility
- 7 Flexible racking with height-adjustable upper basket, foldable cup racks and cutlery basket
- 8 Front-of-door controls with status display
- 9 4-star energy and 5-star water rating
- 10 Quiet wash performance at 46dBA

PRODUCTS

Series 5 Contemporary Dishwasher, 60cm, Stainless Steel

DW60FC2X2, DW60FC2X3

Series 5 Contemporary Dishwasher, 60cm, Black Stainless Steel

DW60FC2B2

Not available in all markets

SERIES & STYLE

Series 5

Contemporary

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available on our website fisherpaykel.com



DW60FC1B2



DW60FC1X2, DW60FC1X3

OVERVIEW

A freestanding dishwasher offering flexible placement across a range of configurations, available in Stainless Steel or Black Stainless Steel to complement our Contemporary style suite of appliances. Compatible with bench heights between 850-895mm, with Auto Cycle and ThermoDry, plus flexible racking and cycle modifiers to suit a range of load types.

PRODUCTS

Series 5 Contemporary Dishwasher, 60cm, Stainless Steel

DW60FC1X2, DW60FC1X3

Series 5 Contemporary Dishwasher, 60cm, Black Stainless Steel

DW60FC1B2

Not available in all markets

SERIES & STYLE

Series 5


Contemporary

FEATURES

- 1 Freestanding installation anywhere in the kitchen, including under bench heights between 850–895mm
- 2 15 place setting capacity, easily accommodating plate sizes up to 320mm
- 3 Auto Cycle sensing automatically adjusts time, temperature and water use to suit each load
- 4 ThermoDry high-temperature final rinse supports efficient drying
- 5 Seven wash programs including Auto, Eco and 60 Min cycles
- 6 Dry+, Sanitise and Half Load wash modifiers for added flexibility
- 7 Flexible racking with height-adjustable upper basket, foldable cup racks and cutlery basket
- 8 Front-of-door controls with status display
- 9 3.5-star energy and 5-star water rating
- 10 Quiet wash performance at 48dBA


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available on our website fisherpaykel.com

PRODUCT DIMENSIONS




ISO VIEW

CAVITY DIMENSIONS: STANDARD INSTALLATION




ISO VIEW

PLUMBING AND ELECTRICAL



REAR VIEW



ISO VIEW

	mm
A Overall height*	850 - 895
B Overall width	598
C Overall depth (including top panel)	600
D Height from bottom of door to floor*	103

* Depending on adjustment of levelling feet

	mm
A Overall height*	850 - 895
B Overall width	min 600
C Overall depth	min 605

*Depending on adjustment of levelling feet

PRODUCT SPECIFICATIONS




Model No.	Series 7 DW60FC3B3 DW60FC2B2 DW60FC3X3 Series 5 DW60FC2X2 DW60FC1B2 DW60FC1X2 DW60FC2X3
Dimensions	H 850 - 895mm* W 598mm D 605mm
Weight	54 kg
Packaged Weight	62 kg
Packaged dimensions	H 890mm x W 700mm x D 660mm
Electrical	
Dedicated Service (A)	10
Rated Power (W)	2400
Supply (Hz)	50
Voltage (V)	220-240
Connection	Hard wired
Plumbing	
Supply	3/4" (20mm) BSP connector water inlet hose with
Pressure	Min 0.03 Mpa (4.35psi), Max 1 Mpa (145psi)

Service outlet at rear extends both sides, hoses and cords can be routed to either or both sides.

*Depending on adjustment of levelling feet.

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available on our website fisherpaykel.com

DATA SHEETS



Model nos:

DW60FC3B3, DW60FC3B3, DW60FC3X3

DW60FC2X2, DW60FC1B2, DW60FC1X2, DW60FC2X3

Product Dimensions

	mm
A Overall height of product (incl. top panel)*	850 - 895
B Overall width of product**	598
C Overall depth of product (incl. top panel)	600
D Depth of chassis (incl. top panel)	558
E Height of feet*	0 - 45
F Door panel thickness	46
G Height from top of chassis to bottom of door panel	745
H Height from bottom of door to floor*	103
I Depth of door opening	620
J Door panel width	590
K Door panel height	711

*Depending on adjustment of levelling feet

**Excluding side seals

Minimum Clearances

	mm
Inside height of cavity* with top panel in place	850 - 895
with top panel removed**	820 - 865
Inside width of cavity	min 600
Overall depth of cavity	min 605


*Depending on adjustment of levelling feet

**The top panel may be removed to suit underbench cavity height

PRODUCT DATUM -----
INDICATES CABINETRY CLEARANCES -----


IMPORTANT NOTE: Throughout this guide, dimensions may vary by +/- 2 mm (1/16"). Please read the Installation Guide for detailed information on installing the product. For full installation instructions visit fisherpaykel.com

SERVICES




FRONT VIEW
SPIGOT INSTALLATION

FRONT VIEW
STANDPIPE INSTALLATION



DETAIL VIEW
SPIGOT INSTALLATION



DETAIL VIEW
STANDPIPE INSTALLATION

SERVICE REQUIREMENTS

Services can be routed to the left or right.

All connections, electrical and plumbing, **MUST** be made in adjacent cabinets.

Ensure electrical connections comply with all local standards.

SERVICE DIMENSIONS

	LEFT SIDE	RIGHT SIDE
(A) Length of drain hose	1980	1650
(B) Length of power cord*	950	1450
(C) Length of inlet hose	1450	1300
(D) Distance from floor to top of hose support	750 - 883	750 - 883
(E) Distance from floor to end of drain hoses**	min 500	min 500
(F) Inlet hose radius	min 200	min 200

* Excluding plug

** Standpipe and spigot installation

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

