


HTDWF90CTW1 - White

9kg 600 Series MultiWash, Anti-Bacterial Treatment



Haier

Height

850-865mm

Width

595mm

Depth

604mm

Weight (Packaged)

96kg

Weight (Product)

89kg

OVERVIEW

A new way to do laundry. The MultiWash fits three independently operating drums in one under-bench design. Run one, two or all three drums as needed, each at its own temperature, from a single water connection. So everyday essentials, delicate pieces or smaller loads can be cared for separately, all at once.

FEATURES

- 9kg main drum plus two specialist drums, all three operating independently at the same time from a single water connection
- 4.5-star energy and 4.5-star water ratings
- 850mm tall, designed to fit under a standard bench for a seamless laundry setup
- Smart Dose automatically measures the right amount of detergent for every load, across all three drums
- Essence Wash pre-mixes detergent with water across all three drums before it reaches the fabric
- Express 15 delivers a fast wash across all three drums for loads that need a quick turnaround
- Stain Treatment targets common marks including blood, sweat and oil with dedicated settings
- Anti-Bacterial Treatment (ABT) in the gasket of each drum helps keep the wash environment hygienic between washes
- Intuitive touch controls let you set temperature, spin and rinse independently for each drum
- Three dedicated direct drive motors, one per drum, for quieter, smoother and more efficient performance


ACCESSORIES

- ASKSTW1 (Stacking Kit)

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website haier.com


Product Overview

PRODUCT DIMENSIONS



		mm
A	Overall height	850-865
B	Overall width	595
C	Overall depth (door closed)	604
D	Overall depth (lower door open)	1091
E	Overall depth (upper doors open)	850
F	Overall depth (excluding doors)	574

CAVITY DIMENSIONS



		mm
A	Minimum height of cavity	870
B	Minimum width of cavity	635
C	Minimum depth of cavity (excluding product doors)	604
D	Minimum clearance at back of cavity	30
E	Minimum depth of cavity in cupboard	664
F	Minimum clearance at front of cavity for in-cupboard	30
G	Minimum clearance at back of cavity for in-cupboard	30

Note: If installing behind a cabinetry door, it must be hinged on the same side as the product. There must be a minimum clearance of 30mm from the front of the products door to the internal face of the cabinetry door for the product to operate safely.

The enclosed space must be provided with sufficient ventilation to meet local building code requirements or the door must be open while the product is operating.


SERVICES

• Supply	220-240 V, 50 Hz
• Service	10 A
• Connection	Plug with flex cord

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website haier.com

Product Overview


PRODUCT DIMENSIONS



		mm
A	Minimum height*	1700
B	Overall width	595
C	Overall depth (door closed)	604

*Including stacking kit height (sold separately).

CAVITY DIMENSIONS



		mm
A	Minimum height of cavity	1720
B	Minimum width of cavity	635
C	Minimum depth of cavity (excluding product door)	606

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website haier.com