DISHDRAWER™ DISHWASHERS

PLANNING GUIDE

SERIES 9
INTEGRATED DOUBLE | DD60D4I2 | DD60D4HI2

FISHER & PAYKEL

INTRODUCTION

This comprehensive planning guide provides you with the framework and tools to achieve your desired design outcome with Fisher & Paykel appliances. In this guide, you will find a range of conceptual, detailed, and dimensional product information to bring your ideas to life and create spaces that truly reflect your vision.

SUPPORT

For additional design planning and installation support please contact the Fisher & Paykel design support team.
designsupport@fisherpaykel.com

NOTES

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Refer to our website fisherpaykel.com for the latest document version. Product specifications may vary from those shown.
This Planning Guide should not be used as installation guidance for any product. Specific installation guidance will be available with the product on delivery and on our website.

CONTENTS

CONCEPT DESIGN ⓘ	PAGE
Design choices	**3**
Specification overview	**4**
Built-under dishwashers	**5**
Integrated dishwashers	**6**
Specification guide	**7**
Integrated double dishdrawer™ dishwasher	**8**

DEVELOPED AND DETAILED DESIGN ⓘ	PAGE
Data sheets	**9**
DD60D4I2, DD60D4HI2 - Custom drawer panel	**10**
DD60D4I2, DD60D4HI2 - Prefinished panels	**11**
Accessories	**12**
Accessory handles and stainless steel panels	**13**
Planning considerations	**14**
Cavity specifications	**15**
Custom panels - extending and adjusting	**16**
Side by side dishwasher installation	**17**
Custom toe kick specifications	**18**

DEVELOPED AND DETAILED DESIGN	PAGE
Custom drawer panel preparation	**19**
DD60D4I2, DD60D4HI2	**20**
Services	**21**
Service specifications	**22**
Electrical and plumbing specifications	**23**

© FISHER & PAYKEL APPLIANCES LIMITED 2026

DESIGN CHOICES

© FISHER & PAYKEL APPLIANCES LIMITED 2026



CHOOSE THE FORMAT

That best suits the way you load and wash

SINGLE

One independent dishwasher. Place multiple around the home to create distributed cleaning zones, or two side by side for the most ergonomic dishwashing solution.

DOUBLE

Two independent drawers, each able to run individually or simultaneously.

CHOOSE YOUR STYLE

Installation designed to fit your kitchen

INTEGRATED

Designed to sit flush and disappear behind kitchen cabinetry for a seamless, uninterrupted kitchen aesthetic.
Panel-ready or compatible with our Stainless Steel panels sold separately.

CONTEMPORARY

Defined by clean lines and timeless design cues, finished in Stainless Steel or Black Stainless Steel. Available with Proud, Recessed, or Pocket handle styles.

CHOOSE YOUR HEIGHT

Height designed to fit your kitchen

STANDARD

Accommodates full-size dinner plates up to 280mm in diameter. Suitable for bench-height installation.

TALL


Extra usable height accommodates larger dishes and cookware, including full-size dinner plates up to 310mm.


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

CONTEMPORARY TALL SINGLE

CONTEMPORARY SINGLE

CONTEMPORARY DOUBLE






STYLE *	MODELS	FINISH	HANDLE STYLE
① Contemporary Tall Single DishDrawer™ Dishwasher Series 9	DD60ST4DX2 DD60ST4HDX2	Stainless Steel Stainless Steel	Contemporary Proud handle
② Contemporary Tall Single DishDrawer™ Dishwasher Series 7	DD60ST2NX2 DD60ST2NB2 DD60ST2HNX2 DD60ST2HNB2	Stainless Steel Black Stainless Steel Stainless Steel Black Stainless Steel	Contemporary Recessed handle
③ Contemporary Single DishDrawer™ Dishwasher Series 7	DD60S2CX2 DD60S2CCX2	Stainless Steel Stainless Steel	Contemporary Pocket handle
④ Contemporary Double DishDrawer™ Dishwasher Series 9	DD60D4DX2 DD60D4HDX2	Stainless Steel Stainless Steel	Contemporary Proud handle
⑤ Contemporary Double DishDrawer™ Dishwasher Series 7	DD60D2NX2 DD60D2NB2 DD60D2HNX2 DD60D2HNB2	Stainless Steel Black Stainless Steel Stainless Steel Black Stainless Steel	Contemporary Recessed handle
⑥ Contemporary Double DishDrawer™ Dishwasher Series 7	DD60D2CX2 DD60D2CCX2 DD60D2HCX2	Stainless Steel Stainless Steel Stainless Steel	Contemporary Pocket handle


*Not all styles are available in all markets.

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

INTEGRATED SINGLE



INTEGRATED DOUBLE



STYLE	MODELS	PANEL OPTIONS	HANDLE OPTIONS
① Integrated Single DishDrawer™ Dishwasher Series 9	DD60S4I2 DD60S4HI2	Custom panel Stainless Steel ADDD60SPX Black Stainless Steel ADDD60SPB	Custom handle, Accessory handles*
② Integrated Tall Single DishDrawer™ Dishwasher Series 9	DD60ST4I2 DD60ST4HI2	Custom panel Stainless Steel ADDD60STPX Black Stainless Steel ADDD60STPB	Custom handle, Accessory handles*
Integrated Tall Single DishDrawer™ Dishwasher Series 11	DD60STX6I1 DD60STX6HI1	Custom panel Stainless Steel ADDD60STPX Black Stainless Steel ADDD60STPB	Custom handle, Accessory handles*
③ Integrated Double DishDrawer™ Dishwasher Series 9	DD60D4I2 DD60D4HI2	Custom panel Stainless Steel ADDD60DPX Black Stainless Steel ADDD60DPB	Custom handle, Accessory handles*
④ Integrated Tall Double DishDrawer™ Dishwasher Series 11	DD60DTX6I1 DD60DTX6HI1	Custom panel Stainless Steel ADDD60DTPX Black Stainless Steel ADDD60DTPB	Custom handle, Accessory handles*

*HANDLES: Contemporary Silver AHD7DDDW60S, Contemporary Black AHD7DDDW60B, Minimal Grey AHM1DDDW60G, Minimal Black AHM1DDDW60B.

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

SPECIFICATION GUIDE

© FISHER & PAYKEL APPLIANCES LIMITED 2026



SERIES 9
DD60D4I2, DD60D4HI2

OVERVIEW

With minimal installation gaps for a precise, flush fit, the Series 9 Integrated DishDrawer™ Dishwasher blends seamlessly into surrounding cabinetry. Choose to fully conceal with a custom door panel, or contrast with a stainless steel panel and handle for a cohesive, considered kitchen design. The front face remains uninterrupted with capacitive touch controls that are mounted internally and remain concealed when the drawer is closed.


FEATURES

1. New Door installation adjustment system allows fast and accurate door alignment to the surrounding cabinetry.
2. Independent drawers can run separately or together.
3. Panel-ready design supports seamless integration within custom cabinetry.
4. Designed for bench-height installation to support ergonomic access.
5. Capacitive touch controls make everyday operation simple and intuitive.
6. Advanced wash technology supports improved energy and water efficiency.
7. Each drawer fits full-size dinner plates up to 280mm diameter.
8. Adaptable racking accommodates a range of dishware and cookware.
9. Versatile wash cycles and modifiers support different dish care needs.
10. Fan-assisted drying helps leave dishes ready to use.
11. SmartHQ™ connectivity offers remote control and notifications through the app.
12. Soft close drawer mechanism supports smooth operation.


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com


DATA SHEETS

© FISHER & PAYKEL APPLIANCES LIMITED 2026



PLAN VIEW





FRONT VIEW

PROFILE VIEW

Model no:

DD60D4I2	Series 9, Integrated Double Dishwasher
DD60D4HI2	Series 9, Integrated Double Dishwasher with water softener

Shown with custom panel and Minimal Grey Handle (AHM1DDDW60G)

Product Dimensions	**mm**
(A) Overall height*	820 - 880
(B) Height of chassis	811
(C) Width of chassis	599
(D) Depth of chassis**	553
(E) Height of upper drawer panel	398
(F) Height of lower drawer panel	311
(G) Width of drawer panels	596
(H) Drawer panel thickness	16-25
(I) Maximum drawer opening	527
(J) Ventilation gap between drawers	8
(K) Toe kick height	50 - 118
(L) Toe kick depth	40-102


Minimum Clearances	**mm**
Minimum inside height of cavity*	822-882
Minimum inside width of cavity	600 - 610
Minimum overall depth of cavity***	580
Minimum clearance to corner cupboard	13
Minimum clearance to adjacent cupboard door	2
Packaged specifications	
Weight	59 kg
Packaged Weight	67 kg
Packaged dimensions	H 890 x W 654 x D 665mm

*Depending on adjustment of leveling feet. **Excluding drawer panel.
***Assumes 19mm drawer panels


- - - - - - INDICATES CABINETRY / PRODUCT DATUM
- - - - - - INDICATES CABINETRY CLEARANCES
- - - - - - INDICATES CUTOUT


IMPORTANT NOTE: Throughout this guide, dimensions may vary by +/-2mm (1/16''). Please read the installation manual for detailed information on installing the product. For full installation instructions & specifications visit fisherpaykel.com

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com



PLAN VIEW





Model no:

DD60D4I2 Series 9, Integrated Double Dishwasher
DD60D4HI2 Series 9, Integrated Double Dishwasher with water softener

Shown with pre-finished panel (ADDD60DPX) and Contemporary Brushed Aluminium Handle (AHD7DDDW60S)

Product Dimensions	**mm**
Ⓐ Overall height*	820 - 880
Ⓑ Height of chassis	811
Ⓒ Width of chassis	599
Ⓓ Depth of chassis**	553
Ⓔ Height of upper drawer panel	398
Ⓕ Height of lower drawer panel	311
Ⓖ Width of drawer panels	595
Ⓗ Drawer panel thickness	18
Ⓘ Maximum drawer opening	527
Ⓙ Ventilation gap between drawers	8
Ⓚ Toe kick height	50 - 118
Ⓛ Toe kick depth	40-102

Minimum Clearances	**mm**
Minimum inside height of cavity*	822-882
Minimum inside width of cavity	600 - 610
Minimum overall depth of cavity***	580
Minimum clearance to corner cupboard	13
Minimum clearance to adjacent cupboard door	2
Packaged specifications	
Weight	59 kg
Packaged Weight	67 kg
Packaged dimensions	H 890 x W 654 x D 665mm

*Depending on adjustment of leveling feet. **Excluding drawer panel.
***Assumes 19mm drawer panels on adjacent cabinetry

- - - - - - INDICATES CABINETRY / PRODUCT DATUM
- - - - - - INDICATES CABINETRY CLEARANCES
- - - - - - INDICATES CUTOUT


IMPORTANT NOTE: Throughout this guide, dimensions may vary by +/-2mm (1/16"). Please read the installation manual for detailed information on installing the product. For full installation instructions & specifications visit fisherpaykel.com

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

© FISHER & PAYKEL APPLIANCES LIMITED 2026

ACCESSORIES

© FISHER & PAYKEL APPLIANCES LIMITED 2026




HANDLE SPECIFICATIONS


For full handle options and specifications the handle planning guide can be found in the resources tab of the handle product pages.

HANDLES*

Style	Model	Finish	Length	Height	Thickness
Ⓐ Minimal Grey	AHM1DDDW60G	Grey	528mm	41mm	12mm
Ⓑ Minimal Black	AHM1DDDW60B	Black	528mm	41mm	12mm
Ⓒ Contemporary Black	AHD7DDDW60B	Brushed Black	535mm	43mm	14.5mm
Ⓓ Contemporary Silver	AHD7DDDW60S	Brushed Silver	535mm	43mm	14.5mm

*Two handle kits are required for double dishwashers





PANELS


Style	Model	Finish	Length	Height	Thickness
Ⓔ Brushed stainless steel - DD60D4I2, DD60D4HI2	ADDD60DPX	Brushed stainless steel	595mm	398mm & 311mm	18mm
Ⓕ Black stainless steel - DD60D4I2, DD60D4HI2	ADDD60DPB	Black stainless steel	595mm	398mm & 311mm	18mm

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PLANNING CONSIDERATIONS

© FISHER & PAYKEL APPLIANCES LIMITED 2026


CAVITY DIMENSIONS



	mm
Ⓐ Overall height	822 - 882
Ⓑ Overall width	600 - 610
Ⓒ Overall depth	min 580
Ⓓ Toe kick - cabinet height	50 - 160
Ⓔ Toe kick depth	40 - 102

CAVITY SPACER PLACEMENT

The dishwasher must be secured through chassis and into the cabinet sides. If the cavity is over width, packers must be installed to avoid bowing the chassis.
Side and top brackets may be installed and fixed to the edge of the cabinet.



ISO VIEW


	mm
Ⓐ Width between spacers	600
Ⓑ Chassis centre of fixing point from top of dishwasher	640

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com


CUSTOM PANEL ADJUSTMENT

Once the custom panel is attached, adjustments can be made with a Phillips screwdriver. They can also be made at any time after installation, without removing the panel or the product.

Horizontal and vertical adjustments allow for refined, even gaps to the surrounding cabinetry.
Tilt adjustment aligns the top and bottom drawers on double drawer models, and aligns the panel with surrounding cabinetry.



FRONT VIEW - HORIZONTAL AND VERTICAL ADJUSTMENT




SIDE VIEW - TILT ADJUSTMENT


EXTENDING CUSTOM PANELS

Custom panels may need to extend to cover cabinet side walls or frames, or to create recessed handles.


Make sure the dishwasher drawer can always close securely against the seals on the chassis.
The dishwasher drawers must seal properly when closed to prevent humidity escape and condensation, which can damage the custom panel.
If the custom drawer panel contacts any cabinetry, the seal may be compromised, allowing humidity to escape and damage the drawer panels or cabinetry.




PLAN VIEW



SECTION VIEW



DETAIL 1



DETAIL 2

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com


SIDE BY SIDE

The chassis is screwed to the cabinet side and requires a dividing panel between the dishwashers. Shorter screws may be required.


Dimensions		mm
Ⓐ	Cavity width	600
Ⓑ	Minimum custom panel width*	596
Ⓒ	Pre-finished panel width	595

*Panel width depends on your cabinetry style, which may be overlay, framed, or standard.


Ensure that there is a small gap between the custom panel and any cabinetry behind it to allow a good seal.




FRONT VIEW
SIDE BY SIDE INSTALLATION




PLAN VIEW
CUSTOM PANELS EXTENDED WIDTH



DETAIL 1
PANEL EXTENDED TO CENTRE OF CABINET DIVIDER



PLAN VIEW
PRE-FINISHED PANELS



DETAIL 2
SIDE BY SIDE INSTALL WITH PRE-FINISHED PANELS

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com


CUSTOM TOE KICK SPECIFICATIONS

The custom panel is fixed to a mounting panel.
The finished toe kick height will vary according to the toe kick depth and the adjusted height of the dishwasher.

The bottom drawer panel can be extended over the toe kick up to a maximum of 50mm.


Toe kick Dimensions		**mm**
Ⓐ	Product height	820 - 880
Ⓑ	Top panel height minimum	398
Ⓒ	Bottom panel height minimum	311
Ⓓ	Bottom panel maximum extension	50
Ⓔ	Minimum toe kick clearance to floor	12
Ⓕ	Toe kick panel height	50 - 118
Ⓖ	Toe kick depth	40 - 102

Custom drawer panel and toe kicks should be manufactured and fitted by a cabinetmaker.




FRONT VIEW

SECTION VIEW



SECTION DETAIL VIEW 1
TOE KICK DEPTHS 40MM




SECTION DETAIL VIEW 1
TOE KICK DEPTHS 41 - 102MM

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

CUSTOM DRAWER PANEL PREPARATION

© FISHER & PAYKEL APPLIANCES LIMITED 2026




UPPER DRAWER PANEL - BACK VIEW

Panel Dimensions	mm
Ⓐ Minimum panel width	596
Ⓑ Minimum panel height	398
Ⓒ Screw position to top of panel at minimum panel height	89
Ⓓ Maximum panel extension at top of panel *Panels may be extended provided the total weight does not exceed 9kg. Extension over 50mm may make the controls less comfortable to use	*
Maximum weight of drawer panel including handle	9kg

CUSTOM PANEL THICKNESS

16mm Screws are supplied for installing the custom panel. Where the panel is thinner than 18mm at any point, use shorter fixing screws to ensure they do not break through the face of the panel.




LOWER DRAWER PANEL - BACK VIEW

Panel Dimensions	mm
Ⓔ Minimum panel width	596
Ⓕ Minimum panel height	311
Ⓖ Screw position to bottom of panel at minimum panel height	68
Ⓗ Maximum panel extension at bottom **Panels may be extended provided the total weight does not exceed 9kg.	**
Maximum weight of drawer panel including handle	9kg


The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

SERVICES

© FISHER & PAYKEL APPLIANCES LIMITED 2026



FRONT SECTION VIEW - SPIGOT INSTALL




FRONT SECTION VIEW - STAND PIPE INSTALL

Service dimensions	**mm**
Ⓐ Minimum distance from floor to top of hose support	750
Ⓑ Minimum distance from floor to end of drain hoses*	500
Ⓒ Minimum distance from floor to inlet hose connection	200
Ⓓ Maximum distance from cabinetry to the centre of electrical outlet	450


*Distances are the same for standpipe and waste tee installation.

Service hole dimensions	**mm**
Ⓔ Minimum distance between front of product* and centre of service hole	538
Ⓕ Maximum distance between floor and centre of service hole	38
Ⓖ Minimum diameter of all service holes	57


*Not including dishwasher panels



SIDE SECTION VIEW - SERVICE HOLE




DETAIL 1 - SERVICE HOLE



DETAIL VIEW - SPIGOT INSTALL


The spigot must be installed above the standing water with an air gap in between.



DETAIL VIEW - STAND PIPE INSTALL

The dishwasher drain must be installed no more than 120mm into the stand pipe.
An air gap between drain ends and standing water is required.

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com



Electrical and plumbing specifications

DD60D4I2, DD60D4HI2

Electrical	
Rated Power (W)	2400
Voltage (V)	220 – 240V
Supply (Hz)	50
Dedicated Service (A)	9

Plumbing		
Supply		3/4" BSP (GB20) to suit flat washer
Pressure		
	DD60D4I2	Min. 0.03 MPa (4.3 psi)
		Max. 1 MPa (145 psi)
	DD60D4HI2	Min. 0.1 MPa (14.5 psi)
		Max. 1 MPa (145 psi)
Recommended temperature		Cold water connection @ 20°C

Hose and cord lengths	**mm**
Drain hoses*	2000
Water inlet	1850
Power	1600

*The Fisher & Paykel 3.6m drain hose extension kit (part number 525798) is available for purchase from fisherpaykel.com

- - - - - - INDICATES CABINETRY / PRODUCT DATUM
- - - - - - INDICATES CABINETRY CLEARANCES
- - - - - - INDICATES CUTOUT

IMPORTANT NOTE: Throughout this guide, dimensions may vary by +/-2mm (1/16"). Please read the installation manual for detailed information on installing the product. For full installation instructions & specifications visit fisherpaykel.com

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

© FISHER & PAYKEL APPLIANCES LIMITED 2026